

BALLAST COMPATIBILITY LIST

FOR INDIGLOW™ LED T8 BLACK LIGHT

Applicable Part Number:

3000677 18W INDIGLOW F18T8BLB



Ballast Brand	Part Number	Ballast Type	Lamp Qty	BF		Lamp Connection	(N)-1 Lamp(s)		(N) Lamp(s)	
				Type	Vaule		120V	277V	120V	277V
ACT	ACT 2P32ISUNVE	IS	2	N	0.89	Parallel	C	C	C	C
ANTRON ELECTRONICS	A32T8MICLO	IS	2	L	0.78	Parallel	C	C	C	C
ARCATA	ACT 3P32ISUNVLE	IS	3	L	0.78	Parallel	C	C	C	C
Ballast Brand	DXE118M8	PRS	1	N	0.92	NA	NA	NA	NC	NA
DAMAR	EL232-120/277HF(1688B)	IS	2	N	/	Parallel	C	NC	C	C
DAMAR	EL232DIM/120/277HF	DPS	2	L	/	Series	S	S	S	S
DAMAR	EL432-120/277HF(3093B)	IS	4	N	/	Parallel	C	C	C	C
EcoSystem	EC5T832GUNV3L	PRS	3	/	/	Parallel	NC	NC	NC	NC
EIKO	PM-2x32T8-UNV-PS	PS	2	N	0.88	Parallel	S	S	S	S
EIKO	PM-2x32T8-UNV-PS-L	PS	2	L	0.78	Series	NC	NC	NC	NC
EIKO	PM-2X32T8-UNV-IS	IS	2	N	0.87	Parallel	C	C	C	C
EIKO	PM-2X32T8-UNV-IS-L	IS	2	L	0.77	Parallel	C	C	C	C
EIKO	PM-3X32T8-UNV-IS	IS	3	N	0.87	Parallel	C	C	C	C
EIKO	PM-3X32T8-UNV-IS-L	IS	3	L	0.78	Parallel	C	C	C	C
EIKO	PM-3X32T8-UNV-PS	PS	3	N	0.88	Series	S	S	S	S
EIKO	PM-4X32T8-UNV-IS	IS	4	N	0.88	Parallel	C	C	C	C
EIKO	PM-4X32T8-UNV-IS-L	IS	4	L	0.78	Parallel	C	C	C	C
ESPEN	VE232MVHIPE	IS	2	N	0.89	Parallel	C	C	C	C
ESPEN	VE232MVHIPL	IS	2	L	0.77	Parallel	C	C	C	C
ESPEN	VE2P32MVHIPE	IS	2	N	0.89	Parallel	C	C	C	C
Fulham	WHCG4-120-T8-IS	IS	4	N	0.86	Parallel	NC	NA	NC	NA

P - PF <0.85	T - THD >30%	C - Compatible	NC - Incompatible
N - Acoustic Noise >20dB	S - Can't Start-Up	F - Flicker After >2s Start-Up	HT - High Temperature
/ - Not Tested	NA - Not Applicable		

Specifications are subject to change without prior notice.
REF/INDIGLOWT8BL-0320

USHIO

BALLAST COMPATIBILITY LIST

FOR INDIGLOW™ LED T8 BLACK LIGHT

Applicable Part Number:

3000677 18W INDIGLOW F18T8BLB



Ballast Brand	Part Number	Ballast Type	Lamp Qty	BF		Lamp Connection	(N)-1 Lamp(s)		(N) Lamp(s)	
				Type	Vaule		120V	277V	120V	277V
General Electric	GE-232-MV-N	IS	2	N	0.88	Parallel	C	C	C	C
General Electric	GE-232-MV-PS-N	PS	2	N	0.88	Parallel	C	C	C	C
General Electric	GE-332-MVPS-N	PS	3	N	0.88	Parallel	C	C	C	C
General Electric	GE-132MAX-G-N	IS	1	N	0.88	NA	NA	NA	NC	NC
General Electric	GE132MAX-L/ULTRA	IS	1	L	0.78	NA	NA	NA	NC	NC
General Electric	GE132MAXP-N/ULTRA	IS	1	N	0.88	NA	NA	NA	C	C
General Electric	GE132MVPSN-V03	DPS	1	N	0.88	NA	NA	NA	C	C
General Electric	GE232-MVPS-N	PS	2	N	0.88	Parallel	F	F	F	F
General Electric	GE232MAX-G-L	IS	2	L	0.77	Parallel	C	C	C	C
General Electric	GE232MAX-G-N	IS	2	N	0.88	Parallel	C	C	C	C
General Electric	GE232MAX-L/ULTRA	IS	2	L	0.78	Parallel	NC	NC	NC	NC
General Electric	GE232MAX-N/ULTRA	IS	2	N	0.88	Parallel	C	C	F	F
General Electric	GE232MAXP-N/ULTRA	IS	2	/	/	Parallel	C	C	C	C
General Electric	GE232MV-N-DIY	IS	2	N	0.88	Parallel	C	C	C	C
General Electric	GE232MVPS-L-S30	DPS	2	N	0.96	Parallel	S	S	S	S
General Electric	GE332MAX-G-N	IS	3	N	0.87	Parallel	C	C	C	C
General Electric	GE332MAX-N/ULTRA	IS	3	N	0.88	Parallel	C	C	C	C
General Electric	GE332MAX-NSL84T	IS	3	/	/	Parallel	NC	NC	NC	NC
General Electric	GE332MAXP-L/ULTRA	IS	3	L	0.77	Parallel	C	C	C	C
General Electric	GE332MAXP-N/ULTRA	IS	3	/	/	Parallel	C	C	C	C
General Electric	GE332MV-N	IS	3	N	0.87	Parallel	C	C	C	C

P - PF <0.85

T - THD >30%

C - Compatible

NC - Incompatible

N - Acoustic Noise >20dB

S - Can't Start-Up

F - Flicker After >2s Start-Up

HT - High Temperature

/ - Not Tested

NA - Not Applicable

USHIO

Specifications are subject to change without prior notice.
REF/INDIGLOWT8BL-0320

BALLAST COMPATIBILITY LIST

FOR INDIGLOW™ LED T8 BLACK LIGHT

Applicable Part Number:

3000677 18W INDIGLOW F18T8BLB



Ballast Brand	Part Number	Ballast Type	Lamp Qty	BF		Lamp Connection	(N)-1 Lamp(s)		(N) Lamp(s)	
				Type	Vaule		120V	277V	120V	277V
General Electric	GE332MVPSN-V03	DPS	3	N	0.98	Parallel	S	S	S	S
General Electric	GE432-MVPS-N	PS	4	N	0.88	Parallel	NC	NC	NC	NC
General Electric	GE432MAX-G-N	IS	4	N	0.88	Parallel	C	C	C	C
General Electric	GE432MAX-L/ULTRA	IS	4	L	0.78	Parallel	C	C	C	C
General Electric	GE432MAX-N/ULTRA	IS	4	N	0.88	Parallel	C	C	C	C
General Electric	GE432MAX347-N	IS	4	N	0.94	Parallel	NA	C (347V)	NA	C (347V)
General Electric	GE432MV-N	IS	4	/	/	Parallel	C	C	C	C
General Electric	GE432MV-N-42T	IS	4	N	0.93	Parallel	NC	NC	NC	NC
General Electric	GE432MVPS-N-V03	PS	4	N	0.90	Parallel	NC	NC	NC	NC
Halco	EP232IS/L/MV/HE	IS	2	L	0.78	Parallel	C	C	C	C
Halco	EP232IS/MV/HE	IS	2	N	0.88	Parallel	C	C	C	C
Halco	EP332IS/L/MV/HE	IS	3	L	0.78	Parallel	C	C	C	C
Halco	EP332IS/MV/HE	IS	3	N	0.87	Parallel	C	C	C	C
Halco	EP432IS/120/MC	IS	4	N	0.88	Parallel	C	NA	C	NA
Halco	EP432IS/L/MV/HE	IS	4	L	0.78	Parallel	C	C	C	C
Halco	EP432IS/MV/HE	IS	4	N	0.88	Parallel	C	C	C	C
HATCH	HL232BIS/UV/HE/W	IS	2	N	0.90	Parallel	C	C	C	C
HATCH	HL432BIS/UV/HE/W	IS	4	N	0.90	Parallel	C	C	C	C
HOWARD INDUSTRIES	E2/32IS-120MC	IS	2	N	0.85	Parallel	P, T	NA	C	NA
HOWARD INDUSTRIES	EP2/32IS/MV/MC/HE	IS	2	N	0.89	Parallel	C	C	C	C
HOWARD INDUSTRIES	EP2/32PRS/MV/MC/HE	PRS	2	N	0.86	Parallel	S	S	S	S

P - PF <0.85	T - THD >30%	C - Compatible	NC - Incompatible
N - Acoustic Noise >20dB	S - Can't Start-Up	F - Flicker After >2s Start-Up	HT - High Temperature
/ - Not Tested	NA - Not Applicable		

Specifications are subject to change without prior notice.
REF/INDIGLOWT8BL-0320

USHIO

BALLAST COMPATIBILITY LIST

FOR INDIGLOW™ LED T8 BLACK LIGHT

Applicable Part Number:

3000677 18W INDIGLOW F18T8BLB



Ballast Brand	Part Number	Ballast Type	Lamp Qty	BF		Lamp Connection	(N)-1 Lamp(s)		(N) Lamp(s)	
				Type	Vaule		120V	277V	120V	277V
HOWARD INDUSTRIES	EP3/32IS/MV/MC/HE	IS	3	N	0.88	Parallel	C	C	C	C
HOWARD INDUSTRIES	EP3/32IS/MV/SC/HE	IS	3	N	0.87	Parallel	C	C	C	C
HOWARD INDUSTRIES	EP4/32IS/MV/MC/HE	IS	4	N	0.88	Parallel	C	C	C	C
HOWARD INDUSTRIES	EP4/32PPRS/MV/SC/HE	PRS	4	N	/	Parallel	C	C	C	C
HOWARD INDUSTRIES	EPH3/32IS/MV/MC/HE	IS	3	N	0.91	Parallel	HT	HT	HT	HT
HOWARD INDUSTRIES	EPL2/32IS/MV/MC/HE	IS	2	L	0.78	Parallel	F	F	F	F
HOWARD INDUSTRIES	EPL3/32IS/MV/SC/HE	IS	3	L	0.78	Parallel	C	C	C	C
HOWARD INDUSTRIES	EPL4/32IS/MV/MC/HE	IS	4	L	0.77	Parallel	C	C	C	C
KEYSTONE	KTEB-126-1-TP-L-C	PS	1	N	0.95	NA	NA	NA	NC	NA
KEYSTONE	KTEB-132-1-TP-FC	RS	1	N	/	NA	NA	NA	P, T	NA
KEYSTONE	KTEB-232-UV-IS-L-P	IS	2	L	/	Parallel	C	C	C	C
KEYSTONE	KTEB-232-UV-IS-N-P	IS	2	N	0.87	Parallel	C	F	C	C
KEYSTONE	KTEB-232LBF-1-TP-PIC-EV	IS	2	N	0.88	Parallel	S	NA	S	NA
KEYSTONE	KTEB-2C72-1-TP	PS	1	N	0.97	Parallel	NA	NA	NC	NA
KEYSTONE	KTEB-332-UV-IS-N-P	IS	3	N	0.87	Parallel	C	C	C	C
KEYSTONE	KTEB-432-UV-IS-N-P	IS	4	N	0.87	Parallel	C	C	C	C
KEYSTONE	KTEB-432RIS-1-TP-SL	IS	4	N	0.80	Parallel	NC	NA	NC	NA
KEYSTONE	KTLD-2T8LED-UV-IS-VDIM	IS	2	/	/	Parallel	S	S	S	S
LIGHTING PRODUCTS LIMITED	EB-332EBF-UV-TP-HE	IS	3	L	0.78	Parallel	C	C	C	C
LUTRON	EHDT817MU210	DPRS	2	/	/	Series	NC	NC	NC	NC
LUTRON	H3DT832CU210	PRS	2	/	/	Parallel	NC	NC	NC	NC

P - PF <0.85

T - THD >30%

C - Compatible

NC - Incompatible

N - Acoustic Noise >20dB

S - Can't Start-Up

F - Flicker After >2s Start-Up

HT - High Temperature

/ - Not Tested

NA - Not Applicable

USHIO

Specifications are subject to change without prior notice.
REF/INDIGLOWT8BL-0320

BALLAST COMPATIBILITY LIST

FOR INDIGLOW™ LED T8 BLACK LIGHT

Applicable Part Number:

3000677 18W INDIGLOW F18T8BLB



Ballast Brand	Part Number	Ballast Type	Lamp Qty	BF		Lamp Connection	(N)-1 Lamp(s)		(N) Lamp(s)	
				Type	Value		120V	277V	120V	277V
MAXLITE	MLEU322HEL/SC	IS	2	N	0.83	Parallel	C	C	C	C
MAXLITE	SKEU324HE/SC	IS	4	N	0.88	Parallel	C	C	C	C
MAXLITE	SKEU323HEL/SC	IS	2	L	0.77	Parallel	C	C	C	C
MAXLITE	SKEU323L/SC	IS	3	L	0.78	Parallel	C	C	C	C
MAXLITE	SKEU324HE/SC	IS	4	N	0.88	Parallel	C	C	C	C
MOTOROLA	M2-IN-T8-GP-D-277	IS	2	/	/	Parallel	/	C	/	C
MOTOROLA	M3-IN-T8-GP-A-277	IS	3	/	/	Parallel	/	C	/	C
OSRAM SYLVANIA	QHE 2x32T8/347 PSN-SC	PRS	2	N	0.88	Parallel	NA	C (347V)	NA	C (347V)
OSRAM SYLVANIA	QHE 1X32T8/UNV DIM-TC	DPS	1	N	0.88	NA	NA	NA	S	S
OSRAM SYLVANIA	QHE 1X32T8/UNV ISH-SC	IS	1	L	0.77	NA	NA	NA	C	C
OSRAM SYLVANIA	QHE 1X32T8/UNV ISL-SC	IS	1	L	0.78	NA	NA	NA	C	C
OSRAM SYLVANIA	QHE 1X32T8/UNV ISN-SC	IS	1	N	0.88	NA	NA	NA	C	C
OSRAM SYLVANIA	QHE 2X32T8/UNV DIM-TC	PRS	2	N	0.88	Series	S	S	S	S
OSRAM SYLVANIA	QHE 2X32T8/UNV ISL-SC	IS	2	L	0.78	Parallel	C	C	C	C
OSRAM SYLVANIA	QHE 2X32T8/UNV ISN-SC	IS	2	N	0.88	Parallel	C	C	C	C
OSRAM SYLVANIA	QHE 3X32T8/UNV DIM-TCL	DPS	3	N	0.88	Series	NC	NC	NC	NC
OSRAM SYLVANIA	QHE 3X32T8/UNV ISL-SC	IS	3	L	0.78	Parallel	C	C	C	C
OSRAM SYLVANIA	QHE 3X32T8/UNV ISN-SC	IS	4	N	0.88	Parallel	C	C	C	C
OSRAM SYLVANIA	QHE 3X32T8/UNV PSN-SC	PRS	3	N	0.88	Parallel	F	F	F	F
OSRAM SYLVANIA	QHE 4X32T8/UNV DIM-TCL	DPS	4	N	0.88	Series	NC	NC	NC	NC
OSRAM SYLVANIA	QHE 4X32T8/UNV ISL-SC	IS	4	L	0.78	Parallel	C	C	C	C

P - PF <0.85	T - THD >30%	C - Compatible	NC - Incompatible
N - Acoustic Noise >20dB	S - Can't Start-Up	F - Flicker After >2s Start-Up	HT - High Temperature
/ - Not Tested	NA - Not Applicable		

Specifications are subject to change without prior notice.
REF/INDIGLOWT8BL-0320

USHIO

BALLAST COMPATIBILITY LIST

FOR INDIGLOW™ LED T8 BLACK LIGHT

Applicable Part Number:

3000677 18W INDIGLOW F18T8BLB



Ballast Brand	Part Number	Ballast Type	Lamp Qty	BF		Lamp Connection	(N)-1 Lamp(s)		(N) Lamp(s)	
				Type	Vaule		120V	277V	120V	277V
OSRAM SYLVANIA	QHE 4X32T8/UNV ISN-SC	IS	4	N	0.88	Parallel	C	C	C	C
OSRAM SYLVANIA	QHE 4X32T8/UNV PSN-SC	PRS	4	N	0.88	Parallel	F	F	F	F
OSRAM SYLVANIA	QHE 4X32T8/UNV PSX-SC	PRS	4	L	0.71	Parallel	S	S	S	S
OSRAM SYLVANIA	QHES 2x32T8/UNV PSL-SC	PRS	2	L	0.71	Parallel	S	S	S	S
OSRAM SYLVANIA	QT3x32T8/277 ISN-A	IS	3	/	/	Parallel	NA	C	NA	C
OSRAM SYLVANIA	QTP 2X32T8/UNV ISN-SC	IS	2	N	0.88	Parallel	C	C	C	C
OSRAM SYLVANIA	QTP 3X32T8/UNV ISN-SC	IS	3	N	0.88	Parallel	C	C	C	C
OSRAM SYLVANIA	QTP 3X32T8/UNV PSX-SC	PRS	3	L	0.71	Series	NC	NC	NC	NC
OSRAM SYLVANIA	QTP 4x32T8/UNV ISN-SC	IS	4	N	0.88	Parallel	NA	NA	NC	NC
OSRAM SYLVANIA	QTP2x32T8/UNV DIM-TC	DPS	2	N	0.88	Series	S	S	S	S
OSRAM SYLVANIA	QTP2x32T8/277 ISN-D	IS	2	L	0.78	Parallel	NA	C	NA	C
OSRAM SYLVANIA	QTP3X32T8/UNV PSN-SC	PRS	3	N	0.88	Series	S	S	S	S
Pacific Fluorescent	EB-232IS-120-RES	IS	2	N	/	Parallel	NC	NA	NC	NA
PES	PES120DET8	PS	2	N	0.95	Parallel	NC	NA	NC	NA
PES	PES120DET8-12SMT	PS	2	N	0.95	Parallel	NC	NA	NC	NA
PES	PES120ET8-12SMT-4	IS	4	N	0.88	Parallel	NC	NA	NC	NA
Philips-Advance	ICN-132-MC	IS	1	N	0.88	NA	NA	NA	NC	NC
Philips-Advance	ICN-1P32-N	IS	1	N	0.91	NA	NA	NA	NC	NC
Philips-Advance	ICN-2P16-TLED-N	IS	2	N	/	NA	NC	NC	NC	NC
Philips-Advance	ICN-2P32-N	IS	2	N	0.89	Parallel	HT	HT	C	C
Philips-Advance	ICN-3P16-TLED-N	IS	3	N	/	Parallel	NC	NC	NC	NC

P - PF <0.85

T - THD >30%

C - Compatible

NC - Incompatible

N - Acoustic Noise >20dB

S - Can't Start-Up

F - Flicker After >2s Start-Up

HT - High Temperature

/ - Not Tested

NA - Not Applicable

USHIO

Specifications are subject to change without prior notice.
REF/INDIGLOWT8BL-0320

BALLAST COMPATIBILITY LIST

FOR INDIGLOW™ LED T8 BLACK LIGHT

Applicable Part Number:

3000677 18W INDIGLOW F18T8BLB



Ballast Brand	Part Number	Ballast Type	Lamp Qty	BF		Lamp Connection	(N)-1 Lamp(s)		(N) Lamp(s)	
				Type	Value		120V	277V	120V	277V
Philips-Advance	ICN-3P32-N	IS	3	N	0.88	Parallel	N	N	N	N
Philips-Advance	ICN-3P32-SC	IS	3	N	0.89	Parallel	C	C	C	C
Philips-Advance	ICN-4P16-TLED-N	IS	4	N	/	Parallel	NC	NC	NC	NC
Philips-Advance	ICN-4P32-N	IS	4	N	0.90	Parallel	C	C	C	C
Philips-Advance	ICN-4P32-SC	IS	4	N	0.89	Parallel	C	C	C	C
Philips-Advance	IOP-1P32-LW-N	IS	1	L	0.77	Parallel	NA	NA	C	C
Philips-Advance	IOP-1P32-N	IS	1	N	0.89	NA	NC	NC	NC	NC
Philips-Advance	IOP-1P32-SC	IS	1	N	0.87	Parallel	NA	NA	C	C
Philips-Advance	IOP-1S32-SC	PS	1	N	0.87	Parallel	NA	NA	NC	NC
Philips-Advance	IOP-2P32-LW-N	IS	2	L	0.77	Parallel	C	C	C	C
Philips-Advance	IOP-2P32-LW-SC	IS	2	L	0.77	Parallel	C	T	C	F
Philips-Advance	IOP-2PSP32-LW-N	PS	2	L	0.71	Parallel	C	C	C	C
Philips-Advance	IOP-2PSP32-N	PS	2	N	0.94	Parallel	S	S	S	S
Philips-Advance	IOP-2S32-SC	PS	2	N	0.87	Series	NC	NC	NC	NC
Philips-Advance	IOP-3P32-LW-SC	IS	3	L	0.77	Parallel	C	F	C	F
Philips-Advance	IOP-3P32-N	IS	3	N	0.87	Parallel	N	N	N	N
Philips-Advance	IOP-3PSP32-LW-SC	PS	3	L	0.69	Parallel	NC	NC	NC	NC
Philips-Advance	IOP-3PSP32-SC	PS	3	N	0.88	Parallel	C	C	C	C
Philips-Advance	IOP-4P32-LW-N	IS	4	L	0.77	Parallel	C	C	C	C
Philips-Advance	IOP-4P32-LW-SC	IS	4	L	0.77	Parallel	NC	NC	NC	NC
Philips-Advance	IOP-4P32-N	IS	4	N	0.87	Parallel	N	N	N	N
Philips-Advance	IOP-4P32-SC	IS	4	N	0.87	Parallel	S	S	S	S

P - PF <0.85	T - THD >30%	C - Compatible	NC - Incompatible
N - Acoustic Noise >20dB	S - Can't Start-Up	F - Flicker After >2s Start-Up	HT - High Temperature
/ - Not Tested	NA - Not Applicable		

Specifications are subject to change without prior notice.
REF/INDIGLOWT8BL-0320

USHIO

BALLAST COMPATIBILITY LIST

FOR INDIGLOW™ LED T8 BLACK LIGHT

Applicable Part Number:

3000677 18W INDIGLOW F18T8BLB



Ballast Brand	Part Number	Ballast Type	Lamp Qty	BF		Lamp Connection	(N)-1 Lamp(s)		(N) Lamp(s)	
				Type	Vaule		120V	277V	120V	277V
Philips-Advance	IOP-4PSP32-LW-SC	PS	4	L	0.69	Parallel	C	C	C	C
Philips-Advance	IOP-4PSP32-SC(REV A)	PS	4	N	0.89	Parallel	C	C	C	C
Philips-Advance	IOPA-1P32-N	IS	1	N	0.88	NA	NA	NA	NC	NC
Philips-Advance	IOPA-2P32-LW-N	IS	2	L	0.76	Parallel	C	C	C	C
Philips-Advance	IOPA-2P32-N	IS	2	N	0.89	Parallel	C	C	C	C
Philips-Advance	IOPA-2P32-N	IS	2	N	0.89	Parallel	C	C	C	C
Philips-Advance	IOPA-3P32-LW-N	IS	3	L	0.76	Parallel	N	N	N	N
Philips-Advance	IOPA-3P32-LW-SC	IS	3	L	0.78	Parallel	C	C	C	C
Philips-Advance	IOPA-3P32-N	IS	3	N	0.86	Parallel	N	N	N	N
Philips-Advance	IOPA-4P32-LW-N	IS	4	L	0.76	Parallel	C	C	C	C
Philips-Advance	IOPA-4P32-N	IS	4	N	0.87	Parallel	N	N	N	N
Philips-Advance	IOPA-4P32-SC	IS	4	N	0.92	Parallel	C	C	C	C
Philips-Advance	IZT-2PSP32-SC	DPS	2	N	1.00	Parallel	S	S	S	S
Philips-Advance	IZT-2S32-SC	DPS	2	N	1.00	Series	NC	NC	NC	NC
Philips-Advance	REB-2P32-SC	IS	2	N	0.88	Parallel	NC	NA	NC	NA
Philips-Advance	REB-4P32-SC	IS	4	N	0.81	Parallel	NC	NA	NC	NA
Philips-Advance	REZ-2S32-SC	DPS	2	N	/	Series	S	NA	S	NA
Philips-Advance	REZ-3S32-SC	DPS	3	N	0.97	Series	NC	NA	NC	NA
Philips-Advance	VEL-2P32-RH-TP	IS	2	N	/	Parallel	NA	P, T	NA	P, T
Philips-Advance	VEL-2P32-SC	IS	2	N	0.88	Parallel	NA	T	NA	C
Philips-Advance	VEL-3P32-SC	IS	3	N	0.88	Parallel	NA	C	NA	C

P - PF <0.85	T - THD >30%	C - Compatible	NC - Incompatible
N - Acoustic Noise >20dB	S - Can't Start-Up	F - Flicker After >2s Start-Up	HT - High Temperature
/ - Not Tested	NA - Not Applicable		

BALLAST COMPATIBILITY LIST

FOR INDIGLOW™ LED T8 BLACK LIGHT

Applicable Part Number:

3000677 18W INDIGLOW F18T8BLB



Ballast Brand	Part Number	Ballast Type	Lamp Qty	BF		Lamp Connection	(N)-1 Lamp(s)		(N) Lamp(s)	
				Type	Value		120V	277V	120V	277V
Philips-Advance	VZT-4S32-HL	DPS	4	/	/	Parallel	NC	NC	NC	NC
Plusrite	BAF232IS/MV	IS	2	N	0.89	Parallel	C	C	C	C
Plusrite	BAF232IS/MV/L	IS	2	L	0.78	Parallel	C	C	C	C
Plusrite	BAF332IS/MV	IS	3	N	0.88	Parallel	C	C	C	C
Plusrite	BAF332IS/MV/L	IS	3	L	0.78	Parallel	N	N	N	N
Plusrite	BAF432IS/MV	IS	4	N	0.88	Parallel	C	C	C	C
Plusrite	BAF432IS/MV/L	IS	4	L	0.78	Parallel	C	C	C	C
Prolume	E432IS/120/R/SL	IS	4	N	0.87	Parallel	P, T	NA	P, T	NA
Prolume	EP232IS/L/MV/SL	IS	2	L	0.78	Parallel	C	C	C	C
Robertson	RSZ132T8120	PS	1	N	0.80	NA	NA	NA	NC	NA
SOLA	E-758-U-232-MC	IS	2	N	0.88	Parallel	NC	F, N	NC	F, N
STANDARD	E232T8IS120-277/N/AS	IS	2	N	0.88	Parallel	C	C	C	C
STANDARD	E432T8IS347/N/BULK	IS	4	/	/	Parallel	C (347V)	/	C (347V)	/
SUNPARK	120-1/32IS HPF	IS	1	N	0.88	NA	NA	NA	T	NA
SUNPARK	120-3/32IS MPF	IS	3	N	0.88	Parallel	NC	NA	NC	NA
SUNPARK	SL15T	PS	2	N	0.88	Series	P, T	NA	P, T	NA
SUNPARK	U-1/32PSE	PS	1	N	0.88	NA	NA	NA	S	S
SUNPARK	U-2/32ISE-LBF	IS	2	L	0.78	Parallel	C	C	C	C
SUNPARK	U-2/32PSE	RS	2	N	0.88	Parallel	S	S	S	S
SUNPARK	U-232PS3	RS	2	N	0.88	Series	S	S	S	S
SUNPARK	U-3/32ISE	IS	3	N	0.88	Parallel	C	C	C	C

P - PF <0.85	T - THD >30%	C - Compatible	NC - Incompatible
N - Acoustic Noise >20dB	S - Can't Start-Up	F - Flicker After >2s Start-Up	HT - High Temperature
/ - Not Tested	NA - Not Applicable		

Specifications are subject to change without prior notice.
REF/INDIGLOWT8BL-0320

BALLAST COMPATIBILITY LIST

FOR INDIGLOW™ LED T8 BLACK LIGHT

Applicable Part Number:

3000677 18W INDIGLOW F18T8BLB



Ballast Brand	Part Number	Ballast Type	Lamp Qty	BF		Lamp Connection	(N)-1 Lamp(s)		(N) Lamp(s)	
				Type	Vaule		120V	277V	120V	277V
SUNPARK	U-4/32IS HP, F	IS	4	N	0.88	Parallel	C	C	C	C
SUNPARK	U-4/32ISE-LBF	IS	4	L	0.77	Parallel	C	C	C	C
Superior Life	70201	IS	2	N	0.88	Parallel	C	F	C	C
Superior Life	70210	PS	2	N	0.88	Parallel	C	C	C	C
Superior Life	70211	PS	4	N	0.87	Parallel	C	C	C	C
SYLVANIA	QT 2X32/347LP	IS	2	/	/	Parallel	NA	N (347V)	NA	N (347V)
SYLVANIA	QT 2x32277 IS-SC	IS	2	/	/	Parallel	NA	P, T	NA	C
SYLVANIA	QT 4x32 T8/347 ISN-SC	IS	4	N	/	Parallel	NA	N (347V)	NA	N (347V)
SYLVANIA	QT 4X32/347LP	IS	4	/	/	Parallel	NA	N (347V)	NA	N (347V)
TCP	E3P32ISUNVE	IS	3	N	0.88	Parallel	C	C	C	C
TCP	E3P32ISUNVLE	IS	3	L	0.78	Parallel	C	F	C	C
TCP	E4P32ISUNVE	IS	4	N	0.88	Parallel	C	C	C	C
TCP	E4P32ISUNVHE	IS	4	N	1.18	Parallel	HT	HT	HT	HT
TCP	E4P32ISUNVLE	IS	4	L	0.78	Parallel	F	F	F	F
Universal Lighting Technologies	B132IUNVEL-A	IS	1	L	0.77	Parallel	NA	NA	C	C
Universal Lighting Technologies	B132IUNVHP-N	IS	1	N	0.88	NA	NA	NA	C	C
Universal Lighting Technologies	B232I120RES-A	IS	2	N	0.88	Parallel	P, T	NA	P, T	NA
Universal Lighting Technologies	B232IUNVEL-A	IS	2	L	0.77	Parallel	C	C	C	C
Universal Lighting Technologies	B232IUNVHP-B	IS	2	N	0.88	Parallel	F	C	F	C
Universal Lighting Technologies	B232IUNVHP-N	IS	2	N	0.88	Parallel	N	N	C	C

P - PF <0.85

T - THD >30%

C - Compatible

NC - Incompatible

N - Acoustic Noise >20dB

S - Can't Start-Up

F - Flicker After >2s Start-Up

HT - High Temperature

/ - Not Tested

NA - Not Applicable

USHIO

Specifications are subject to change without prior notice.
REF/INDIGLOWT8BL-0320

BALLAST COMPATIBILITY LIST

FOR INDIGLOW™ LED T8 BLACK LIGHT

Applicable Part Number:

3000677 18W INDIGLOW F18T8BLB



Ballast Brand	Part Number	Ballast Type	Lamp Qty	BF		Lamp Connection	(N)-1 Lamp(s)		(N) Lamp(s)	
				Type	Vaule		120V	277V	120V	277V
Universal Lighting Technologies	B232PUNVHE-B	PS	2	N	0.88	Parallel	C	P, T	C	C
Universal Lighting Technologies	B232PUNVHP-A	PS	2	N	0.88	Parallel	NC	NC	NC	NC
Universal Lighting Technologies	B232PUS50-A	PRS	2	/	/	Parallel	NC	NC	NC	NC
Universal Lighting Technologies	B233IUNVHE-A	IS	2	N	0.87	Parallel	C	C	C	C
Universal Lighting Technologies	B332I277RH-A	IS	3	N	0.88	Parallel	NA	P, T	NA	C
Universal Lighting Technologies	B332IUNVHP-A	IS	3	N	0.88	Parallel	C	C	C	C
Universal Lighting Technologies	B332PUNVHE-A	PS	3	N	0.88	Parallel	C	C	C	C
Universal Lighting Technologies	B432IUNVHE L-A	IS	4	L	0.77	Parallel	C	C	C	C
Universal Lighting Technologies	B432IUNVHE-A	IS	4	N	0.87	Parallel	C	C	C	C
Universal Lighting Technologies	B432IUNVHP-A	IS	4	N	0.88	Parallel	C	C	C	C
Universal Lighting Technologies	B432PUNVHE-A	PS	4	N	0.87	Parallel	C	C	C	C
Watran	DB-232N-MV-TP-HE	IS	2	N	0.87	Parallel	C	C	C	C
Watran	DB-232N-MV-TP-HE(SC)	IS	2	N	0.87	Parallel	C	C	C	C
Watran	DB-332N-MV-TP-HE	IS	3	N	0.87	Parallel	C	C	C	C
Watran	DB-432L-MV-TP-HE	IS	4	L	0.77	Parallel	C	C	C	C
Watran	DB-432N-MV-TP-HE	IS	4	N	0.87	Parallel	F	C	F	C
WORK HORSE	WHS3-UNV-T8-IS	IS	3	N	0.99	Parallel	C	C	C	C
WORK HORSE	WHS4-UNV-T8-IS	IS	4	N	0.96	Parallel	C	C	C	C

P - PF <0.85	T - THD >30%	C - Compatible	NC - Incompatible
N - Acoustic Noise >20dB	S - Can't Start-Up	F - Flicker After >2s Start-Up	HT - High Temperature
/ - Not Tested	NA - Not Applicable		

Specifications are subject to change without prior notice.
REF/INDIGLOWT8BL-0320

USHIO